

*Mobile Transport & Storage  
Solutions for*  
**Healthcare**  
*in the 21st Century*

**MEDICAL SURGICAL CARTS**



**LAKESIDE<sup>®</sup>**  
**HEALTHCARE**

1-800-558-8565 • [www.eLakesideHealthcare.com](http://www.eLakesideHealthcare.com)



**Mobile Transport & Storage  
Solutions for  
Healthcare  
in the 21st Century**

As a Best In Class manufacturer, you can trust that Lakeside's innovation is backed by enduring quality.

More than 60 years ago, we established ourselves as an industry innovator, with the introduction of the stainless steel utility cart.

The times and needs of our industry have changed dramatically since then. While Lakeside remains the industry leader in quality and variety for mobile equipment, we continuously work toward expanding and innovating our product lines to anticipate the needs of an ever-changing market. Our ingenuity adds mobility and flexibility to operations in surgical environments, patient care, and central sterile processing.

With our new offering of surgical open and closed case carts, medication carts and blanket and fluid warmers, Lakeside now presents you with the largest selection of surgical goods transport and storage solutions available in healthcare.



**LAKESIDE®**  
**HEALTHCARE**

1-800-558-8565

[www.eLakesideHealthcare.com](http://www.eLakesideHealthcare.com)



## BLANKET WARMERS

### Safely warm and monitor blanket temperatures for increased patient comfort.

- ✓ Low-heat-density electrothermal warming provides efficient and even heating
- ✓ Innovative design saves heat and energy by eliminating the need for a circulating fan
- ✓ Electronic control with LED display allows you to set and monitor temperature levels, automate an on/off time, and lock settings to eliminate tampering
- ✓ Separate safety override feature prevents overheating
- ✓ Window door allows you to easily monitor inventory level
- ✓ Adjustable temperature range of 98-200°F (37-93°C) allows for maximum patient comfort
- ✓ Heavy-duty stainless steel exterior provides durability and ease of cleaning and sanitizing
- ✓ Heavy-duty handle and hinges withstand repeated use
- ✓ Includes 1 blue, epoxy-coated blanket support assembly
- ✓ Stackable for space-saving capacity (Models 8280B, 8281B, & 8283B only)

#### OPTIONS & ACCESSORIES

- Left door swing (right swing standard)
- 6" leg posts in place of casters (excluding Model 8280B)
- Pass-through feature for flexible access (Models 8283B, 8284B & 8285B only)
- Corner Bumpers



#8280B



#8281B



#8283B



#8284B



#8285B

Model	Description	# Of			Interior Size Cu. ft.	Overall Size			Caster Type	Caster Dia.	Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m <sup>3</sup> )
		Shelves per chamber	Doors	Interior Chambers		W	D	H				
8280B	Stackable with 8280B, 8290F	0	1	1	2.3	16-1/8"	25-7/16"	20-5/8"	*	-	118 (53.52)	12.44 (.35)
8281B	Stackable with 8281B, 8291F	1	1	1	3.4	17-5/8"	26-3/4"	33-5/8"	heavy-duty, 2 w/ brake	5" (127)	174 (78.93)	18.22 (.52)
8283B	Stackable with 8283B, 8292F	1	1	1	7.7	22-1/8"	31-3/4"	39-3/4"	heavy-duty, 2 w/ brake	5" (127)	261 (118.39)	18.22 (.52)
8284B	2 electronic controls, 1 per chamber	1	2	2	7.7 ea. (15.4 total)	22-1/8"	31-3/4"	73-1/4"	heavy-duty, 2 w/ brake	5" (127)	515 (233.60)	34.67 (.98)
8285B	1 electronic control	2	2	1	20.6	30-1/4"	27-1/4"	70-7/8"	heavy-duty, 2 w/ brake	5" (127)	461 (209.11)	64.19 (1.82)

\*Model 8280B has 4 non-skid rubber feet for countertop positioning

## FLUID WARMERS

### Increase safety by maintaining correct temperatures for various fluid types.

- ✓ Low-heat-density electrothermal warming provides efficient and even heating
- ✓ Maintain safe ( $\pm 3^{\circ}\text{F}$  of current setting), accurate temperature levels
- ✓ Electronic control with LED display allows you to set and monitor temperature levels and lock settings to eliminate tampering
- ✓ Two operating modes ensure safe temperature levels for irrigation fluids, 98-150°F (37-66°C), or injection fluids, 98-104°F (37-40°C)
- ✓ Separate safety override feature prevents overheating
- ✓ Alarm alerts you if temperature changes 10°F (6°C) from current setting
- ✓ Window door allows you to easily monitor inventory level
- ✓ Heavy-duty stainless steel exterior provides durability and ease of cleaning and sanitizing
- ✓ Heavy-duty handle and hinges withstand repeated use
- ✓ White epoxy-coated wire baskets conveniently hold surgical fluids packaged in bags or bottles
- ✓ Stackable for space-saving capacity

#### OPTIONS & ACCESSORIES

- Left door swing (right swing standard)
- 6" leg posts in place of casters (excluding Model 8290F)
- Available with temperature monitoring for ultimate safety
- Corner Bumpers



#8290F



#8291F



#8292F

Model	Description	Wire Basket Description		Overall Size			Caster Type	Caster Dia.	Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m <sup>3</sup> )
		# Of	Max. Capacity	W	D	H				
8290F	Stackable with 8290F, 8280B	1	16-liters	16-1/8"	27-1/2"	20-11/16"	*	-	130 (58.97)	12.44 (.35)
8291F	Stackable with 8291F, 8281B	2	14-liters ea. (28-liters total)	17-3/8"	28-9/16"	33-7/8"	heavy-duty, 2 w/ brake	5" (127)	205 (92.99)	18.22 (.52)
8292F	Stackable with 8292F, 8283B	3	24-liters ea. (72-liters total)	22"	34-7/8"	40-11/16"	heavy-duty, 2 w/ brake	5" (127)	311 (141.07)	34.67 (.98)

\*Model 8290F has 4 non-skid rubber feet for countertop positioning



## COMBINATION BLANKET & FLUID WARMERS

*Conveniently warm and store fluids and blankets in the same unit while maintaining ECRI (Emergency Care Research Institute) recommended fluid temperatures for patient safety.*

- ✓ Low-heat-density electrothermal warming provides efficient and even heating
- ✓ Maintain safe ( $\pm 3^{\circ}\text{F}$  of current setting), accurate temperature levels
- ✓ Dual compartments each have user-friendly electronic control with LED display to set and monitor temperature levels and lock settings to eliminate tampering
- ✓ Separate safety override feature prevents overheating
- ✓ 5" heavy-duty casters, 2 with brake, for quickly transporting or storing close at hand
- ✓ Window door allows you to easily monitor inventory level
- ✓ Heavy-duty stainless steel exterior provides durability and ease of cleaning and sanitizing
- ✓ Heavy-duty handle and hinges withstand repeated use

### BLANKET-WARMING COMPARTMENT

- ✓ Adjustable temperature range of 98-200°F (37-93°C) for --maximum patient comfort
- ✓ Automatic on/off setting to conserve energy
- ✓ 1 blue, epoxy-coated blanket support assembly

### FLUID-WARMING COMPARTMENT

- ✓ Two operating modes ensure safe temperature levels for irrigation fluids, 98-150°F (37-66°C), or injection fluids, 98-104°F (37-40°C)
- ✓ Alarm alerts you if temperature changes 10°F (6°C) from current setting
- ✓ White epoxy-coated wire baskets conveniently hold surgical fluids packaged in bags or bottles



### OPTIONS & ACCESSORIES

- Left door swing (right swing standard)
- 6" leg posts in place of casters
- Pass-through feature for flexible access (Model 8289BF only)
- Available with temperature monitoring for ultimate safety
- Corner Bumpers

Model	Fluid Warming Compartment			Blanket Warming Compartment		Overall Size			Caster Type	Caster Dia.	Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m <sup>3</sup> )
	# of Wire Baskets	Max. Basket Capacity	Interior Size Cu. ft.	# of Center Shelves	Interior Size Cu. ft.	W	D	H				
8288BF	3	24-liters ea. (72-liters total)	7.7	1	7.7	22-1/8"	34-15/16"	72-1/2"	heavy-duty, 2 w/ brake	5" (127)	531 (240.86)	57.06 (1.62)
8289BF	1	38-liters	5.4	2	11.875	27-1/4"	31"	71-3/4"	heavy-duty, 2 w/ brake	5" (127)	480 (217.72)	64.19 (1.82)

## TEMPERATURE MONITORING UNITS

### Monitor the temperature of your fluids for accurate safety reports.

- ✓ Independent temperature sensing system allows you to consistently provide the utmost in patient safety by remaining informed about exact fluid temperatures
- ✓ Separate RTD probe for trusted accuracy and stability
- ✓ Display shows the actual interior temperature (independently verified) versus the set temperature to quickly confirm proper operation
- ✓ Dedicated microprocessor for a highly accurate PID temperature control and verification temperature sensing systems
- ✓ Available with 8290F, 8291F, 8292F, 8288BF and 8289BF  
Add suffix -WW to preferred model to order



Transfer internal data from the Control Panel to a USB Flash Drive for easy viewing of reports and summaries on a computer



#8290F-WW



#8292F-WW



#8291F-WW



#8288BF-WW



#8289BF-WW

Model	Max. Capacity	Overall Size			Caster Type	Caster Dia.	Case Weight Lbs. (Kg)	Case Cube Cu. ft. (m <sup>3</sup> )
		W	D	H				
#8290F-WW	16 Liter	16-1/8"	27-1/2"	20-11/16"	*	-	130 (58.97)	12.44 (.35)
#8292F-WW	72 Liter	22"	34-7/8"	40-11/16"	heavy-duty, 2 w/ brake	5" (127)	311 (141.07)	34.67 (.98)
#8291F-WW	28 Liter	17-3/8"	28-9/16"	33-7/8"	heavy-duty, 2 w/ brake	5" (127)	205 (92.99)	18.22 (.52)
#8288BF-WW	72 Liter (Fluid) 7.7 Cubic Ft. (Blanket)	22-1/8"	34-15/16"	72-1/2"	heavy-duty, 2 w/ brake	5" (127)	531 (240.86)	57.06 (1.62)
#8289BF-WW	38 Liter (Fluid) 11.8 Cubic Ft. (Blanket)	27-1/4"	31"	71-3/4"	heavy-duty, 2 w/ brake	5" (127)	480 (217.72)	64.19 (1.82)

\* Model 8290F-WW has 4 non-skid rubber feet for countertop positioning



# When It Comes To Case Carts, One Size Doesn't Fit All

After listening to the concerns of medical professionals, Lakeside engineered a large variety of standard case carts to fit real-world healthcare applications. With over 60 years of stainless steel manufacturing expertise and innovation, you can trust Lakeside case carts to provide the ultimate in service flexibility.

Even with our carefully designed case cart selection, we understand that your unique space may need a unique solution. Lakeside custom case carts solve the challenge of narrow hallways, small transport elevators or even closet-sized holding areas. Whatever your special needs are, the Lakeside Solutions Team makes the customization process easy by helping you from start to finish. You get Lakeside's legendary design and stainless steel quality, but in sizes and configurations that are uniquely your own.

Long after the cart is designed and finished, Lakeside will continue to deliver superior service.



"Lakeside was wonderful to work with. Lakeside worked with all my staff, and did a thorough assessment of our needs and suggested a custom case cart that really met our needs. Lakeside didn't just deliver these carts... they continued to provide quality customer service after the delivery. I truly recommend Lakeside to all my colleagues."

*– Kim Roth, B.A., C.R.C.S.T.  
Director, Central Sterilization  
Marquette University School of Dentistry  
Milwaukee, WI*



## REAL WORLD SOLUTIONS

### Project SP568: Marquette University School of Dentistry


Whatever your special needs are, the Lakeside Solutions Team makes the customization process easy by helping you from start to finish.




*270° swing door  
18-gauge  
stainless steel*



*3 pull-out  
wire shelves*



*Assessment-based  
custom design*



## STAINLESS STEEL OPEN CASE CARTS

### Open case carts can be configured to meet your every need!


- ✓ Maximum design flexibility for your best fit
- ✓ Multiple uses as case carts, supply carts, distribution carts, linen carts, etc.
- ✓ Stainless steel frame is easy to clean and sanitize
- ✓ Select all wire, all stainless or a combination of wire and stainless
- ✓ Fits elevators and adaptable for cart pick-up systems
- ✓ All-welded construction eliminates nuts and bolts for a stronger structure and easier-to-clean surface
- ✓ 6" Casters for easy maneuverability
- ✓ Easy to configure with 5-1/2" (140) space between shelf rungs
- ✓ No tools required




#7910



#7920  
shown with optional bins



#120120  
blue bin



#7930  
shown with optional bins



#7940  
shown with optional bins

#### BASE MODEL 7910

(38-1/2"W x 25-1/2"D x 38-1/2"H)  
Accommodates up to 5 shelves.

<b>7910W</b>	Wire Shelf
<b>7910SS</b>	Stainless Steel Shelf
<b>7910SD</b>	Solid Shelf with Divider (3 adjustable dividers with hardware)

#### BASE MODEL 7920

(42-1/2"W x 30-3/4"D x 44"H)  
Accommodates up to 6 shelves.

<b>7920W</b>	Wire Shelf
<b>7920SS</b>	Stainless Steel Shelf
<b>7920SD</b>	Solid Shelf with Divider (3 adjustable dividers with hardware)

#### BASE MODEL 7930

(32-1/2"W x 32-3/4"D x 61-1/2"H)  
Accommodates up to 9 shelves.

<b>7930W</b>	Wire Shelf
<b>7930SS</b>	Stainless Steel Shelf
<b>7930SD</b>	Solid Shelf with Divider (3 adjustable dividers with hardware)

#### BASE MODEL 7940

(52-1/2"W x 27-1/2"D x 61-1/2"H)  
Accommodates up to 9 shelves.

<b>7940W</b>	Wire Shelf
<b>7940SS</b>	Stainless Steel Shelf
<b>7940SD</b>	Solid Shelf with Divider (3 adjustable dividers with hardware)



## OPEN CASE CART ACCESSORIES

### CART COVERS

Navy is standard. Also available in Light Blue, Mint Green, Mauve, Tan and White.

<b>29650</b>	Use with Base Model 7910
<b>29652</b>	Use with Base Model 7920
<b>29655</b>	Use with Base Model 7930
<b>29660</b>	Use with Base Model 7940

### PLASTIC BINS

Available in Red, Blue or Gray. Indicate color choice at time of order.

<b>120118</b>	Small Bins (8-1/4" W x 10-7/8" D x 5" H)
<b>120119</b>	Medium Bins (10-7/8" W x 16-1/2" D x 6" H)
<b>120120</b>	Large Bins (17-3/8" W x 22-3/4" D x 6" H)

### BIN SLIDE BRACKETS

<b>120110</b>	Bin Bracket Kit (pair) Use with Base Models 7910, 7920, 7940
<b>120111</b>	Bin Bracket Kit (pair) Use with Base Model 7930

### BAG KITS

<b>120112</b>	Trash Bag Kit (Bag and Bracket) Use with Model 7910
<b>120113</b>	Trash Bag Kit (Bag and Bracket) Use with Models 7920, 7940
<b>120114</b>	Trash Bag Kit (Bag and Bracket) Use with Model 7930
<b>53511</b>	Replacement Bag, Blue Staph-Chek

### STAINLESS STEEL CASTERS

<b>120125</b>	5" Stem Caster
<b>120126</b>	5" Stem Caster with Brake
<b>120128</b>	6" Stem Caster
<b>120127</b>	6" Stem Caster with Brake



#7930  
shown with optional  
29655 cart cover



#7920  
shown with optional  
120113 trash bag kit





## STAINLESS STEEL CLOSED CASE CARTS


*Case carts are the ultimate choice for sterility control during transportation.*

- ✓ Sealed doors safeguard contents against cross-contamination
- ✓ Positive door latches secure doors shut to keep contents safe and sterile
- ✓ Hold open latch secures door when open for easy cleaning
- ✓ Stainless steel is easy to clean and sanitize, resists corrosion and stains
- ✓ All-welded construction eliminates nuts and bolts for a stronger structure and easier-to-clean surface
- ✓ Extended push handle offers more control and increases interior space
- ✓ Locking door latch available for added security


#6950  
Shown with optional locking door latch



#6935



Both doors open



One door secured in open position with hold open latch

### CLOSED CASE CART SPECIFICATIONS

<b>CART FINISH</b>	Non-magnetic stainless steel #3 Finish
<b>MATERIAL</b>	16-gauge stainless steel
<b>BUMPER</b>	Replaceable, stand-out corner bumper, non-marring
<b>SHELVES</b>	Each model includes one stainless steel wire pull-out shelf, except models 6945 and 6950, which include two pull-out shelves; adjustable on 2" centers
<b>CASTERS</b>	5" stainless steel casters are maintenance-free

MODEL	ACTUAL SHELF WIDTH	EXTERNAL DIMENSIONS			INTERNAL DIMENSIONS			SHIP WEIGHT (LBS.)
		W*	D*	H	W	D	H	
<b>ONE DOOR</b>								
6930	24"	36"	29"	39"	25-1/2"	25"	29-1/4"	229
6932	24"	36"	29"	54"	25-1/2"	25"	44-1/4"	250
6940	18"	30"	29"	39"	19-1/2"	25"	29-1/4"	197
6942	18"	30"	29"	54"	19-1/2"	25"	44-1/4"	220
<b>TWO DOOR</b>								
6947†	31-3/8"	43"	29"	54"	34"	25"	29-1/4"	291
6952†	31-3/8"	43"	29"	39"	34"	25"	44-1/4"	257
6935†	36"	48"	29"	39"	38-1/4"	25"	29-1/4"	282
6937†	36"	48"	29"	54"	38-1/4"	25"	44-1/4"	309
6945	13-1/2"	43"	29"	54"	15-1/4**	25"	29-1/4"	296
6950	13-1/2"	43"	29"	39"	15-1/4**	25"	44-1/4"	262

† Denotes no center post

\*\* Two sections/center post



### OPTIONAL, ADDITIONAL FIXED WIRE SHELVES

MODEL	DESCRIPTION	COMPATIBILITY
3810	13-1/2", 75 lb capacity	Fits 6945 and 6950
3820	18", 75 lb capacity	Fits 6940 and 6942
3830	24", 125 lb capacity	Fits 6930 and 6932
3840	31-3/8", 125 lb capacity	Fits 6947 and 6952
3850	36", 125 lb capacity	Fits 6935 and 6937

### OPTIONAL, ADDITIONAL PULL-OUT WIRE SHELVES

MODEL	DESCRIPTION	COMPATIBILITY
3814	13-1/4", 75 lb capacity	Fits 6945 and 6950
3824	18", 75 lb capacity	Fits 6940 and 6942
3834	24", 125 lb capacity	Fits 6930 and 6932
3844	31-1/2", 125 lb capacity	Fits 6947 and 6952
3854	36", 125 lb capacity	Fits 6935 and 6937

## STAINLESS STEEL INSTRUMENT TABLES

*Our extremely durable tables will serve you well for years to come.*

- ✓ 18-gauge stainless steel is easy to clean and sanitize
- ✓ 1" square 16-gauge stainless steel legs for superior strength
- ✓ 18-gauge reinforcements supply extra security for larger models
- ✓ All welded construction
- ✓ 3" locking casters ensure table is stationary when needed
- ✓ Nesting tables save space



### INSTRUMENT TABLES SPECIFICATIONS

<b>TOP SHELF</b>	Top shelves turned down 1" and hemmed back 3/4" around bottom
<b>SHELF CLEARANCE</b>	Distance between top shelf and bottom shelf is 16"
<b>H-BRACE CLEARANCE</b>	Distance from H-Brace to floor is 9 1/8"



MODEL	DESCRIPTION	DIMENSIONS			SHIP WEIGHT (LBS.)
		W	L	H	
8353	Instrument Table w/ Shelf	16"	20"	34"	40
8354	Instrument Table w/ Shelf	16"	30"	34"	44
8355	Instrument Table w/ Shelf	18"	33"	34"	52
8356	Instrument Table w/ Shelf	20"	36"	34"	54
8357	Instrument Table w/ Shelf	24"	36"	34"	56
8358	Instrument Table w/ Shelf	20"	48"	34"	66
8359	Instrument Table w/ Shelf	24"	48"	34"	70
8398	Instrument Table w/ Shelf	24"	60"	34"	82
8399	Instrument Table w/ Shelf	24"	72"	34"	103
8386	H-Brace Instrument Table	16"	20"	34"	45
8387	H-Brace Instrument Table	16"	30"	34"	35
8388	H-Brace Instrument Table	18"	33"	34"	40
8390	H-Brace Instrument Table	20"	36"	34"	43
8391	H-Brace Instrument Table	24"	36"	34"	43
8392	H-Brace Instrument Table	20"	48"	34"	47
8393	H-Brace Instrument Table	24"	48"	34"	56
8394	H-Brace Instrument Table	24"	60"	34"	64
8395	H-Brace Instrument Table	24"	72"	34"	71
8380	Nesting Table	14"	28"	32"	38
8381	Nesting Table	16"	32"	34"	38
8382	Nesting Table	18"	36"	36"	45
8383	Nesting Table	20"	40"	38"	49
8384	Nesting Table	22"	44"	40"	52
8385	Nesting Table	24"	48"	42"	38
8389	Set - All 6	-	-	-	260

STANDARD PRODUCTS SHIP IN **7** DAYS OR LESS

## STAINLESS STEEL EQUIPMENT STANDS

*Mobile stands move your equipment easily wherever it is needed.*

- ✓ Six different variations for your best fit
- ✓ Models with drawers (15 1/2" W x 18" D x 4 1/2" H) offer enclosed storage
- ✓ Durable stainless steel is easy to clean and sanitize
- ✓ Optional locks available for one and two drawer models
- ✓ Optional braking casters (2)




MODEL	WEIGHT CAPACITY	# OF DRAWERS	# OF SHELVES	SHELF CLEARANCE	DIMENSIONS			CASTER TYPE AND SIZE	SHIP WEIGHT (LBS.)	FedEx UPS
					W	D	H			
359	300	0	3	10-3/4"	16-3/4"	18-3/4"	30-1/8"	all swivel - 3-1/2" dia.	25	OK
469	500	0	3	10-3/4"	16-3/4"	18-3/4"	31"	all swivel - 4" dia.	33	OK
356	300	1	3	8-1/8"	16-3/4"	18-3/4"	30-1/8"	all swivel - 3-1/2" dia.	36	OK
466	500	1	3	8-1/8"	16-3/4"	18-3/4"	31"	all swivel - 4" dia.	50	OK
358	300	2	2	17-1/8"	16-3/4"	18-3/4"	35"	all swivel - 3-1/2" dia.	44	OK
474	500	2	3	10"	20-1/8"	36-3/8"	35"	all swivel - 4" dia.	76	NA

FREIGHT CLASS 125

STANDARD PRODUCTS SHIP IN **3** DAYS OR LESS



## MAYO & IV STANDS



#4865



#4860



#4705



#4700

### INFUSION PUMP STANDS

- ✓ Easy-to-clean chrome plated top post assembly
- ✓ 3" rubber wheel, ball bearing casters provide smooth movement
- ✓ Twist knob for easy height adjustment
- ✓ Some assembly required

### OPTIONS & ACCESSORIES

- Universal Clamp (# 4871)
- Steering Handle (# 4870)
- Oxygen Cylinder Holder (# 4873) – Holds "D" and "E" size tanks.
- Infusion Pump Frame (# 4872) Use with #4865, #4866, #4860 and #4861 only. Order two (2) #4871 Universal Clamps
- Add-A-Tray (# 4874)

### 5-LEG SPACE-SAVER BASE INFUSION PUMP STAND

MODEL	DESCRIPTION	DIAMETER	ADJUSTMENT		SHIP WGT. (LBS.)	FedEx	ups
			RANGE	RANGE			
4865	2 Ram's Horn Hook	16"	54"-90-1/2"		20	OK	
4866	4 Ram's Horn Hook	16"	54"-90-1/2"		21	OK	

### 6-LEG OVERSIZE BASE INFUSION PUMP STAND

4860	2 Ram's Horn Hook	26"	52-1/4"-102-3/4"	20	OK
4861	4 Ram's Horn Hook	26"	52-1/4"-102-3/4"	21	OK

### MAYO INSTRUMENT STANDS

- ✓ Designed for convenience during surgical procedures
- ✓ Removable stainless steel tray for sanitizing
- ✓ 1" chrome-plated steel tubing is easy to clean
- ✓ 2 rubber wheel, ball bearing casters promote smooth rolling
- ✓ Twist knob for easy height adjustment
- ✓ Tray dimensions: 19 1/4" x 12 1/2"
- ✓ Some assembly required

### SINGLE POST "U" BASE MAYO INSTRUMENT STAND

MODEL	DESCRIPTION	ADJUSTMENT RANGE	SHIP WGT. (LBS.)	FedEx	ups
4705	Single Post "U" Base Mayo Stand	32"-50"	14	OK	
1200	Replacement Tray	-	4	OK	

### DOUBLE POST MAYO INSTRUMENT STAND

4700	Double Post Mayo Stand	34"-53"	15	OK
1210	Replacement Tray	-	4	OK



#4515

### 18" ROUND LINEN HAMPER WITH TILT LID

- ✓ Designed with an "M" base for stability and long life
- ✓ Foot-operated lid mechanism allows sanitary hands-free operation
- ✓ Spring-loaded lid for effortless opening
- ✓ Chrome-plated steel frame and lid is durable and easy to clean
- ✓ 2" rubber wheel ball bearing casters for smooth movement
- ✓ Sturdy 4-wheel base

STANDARD PRODUCTS SHIP IN **5** DAYS OR LESS

MODEL	DIMENSIONS			CASE WEIGHT (LBS.)	FedEx	ups
	W	D	H			
4515	18"	18"	36"	23	OK	



## **LAKESIDE<sup>®</sup>** **HEALTHCARE**

### **LAKESIDE MANUFACTURING, INC.**

4900 West Electric Ave.  
West Milwaukee, WI 53219  
U.S.A.

Toll Free: (800) 558-8565

Phone: (414) 902-6400

Fax: (414) 902-6446

e-mail: [info@eLakesideHealthcare.com](mailto:info@eLakesideHealthcare.com)

web: [www.eLakesideHealthcare.com](http://www.eLakesideHealthcare.com)

**ASK ABOUT OUR OTHER PRODUCT LINES**



Foodservice



Distinctive  
Serving Carts



Material  
Handling



Self-Washing  
Floors



Modular,  
Interchangeable  
Cafeteria Sectionals



Equipment for the  
Correctional Industry